

No active trail

**DELPHION**

RESEARCH

PRODUCTS

INSIDE DELPHION

My Account

Search: Quick/Number Boolean Advanced Derwent

Help

## The Delphion Integrated View

Get Now: ☒ PDF | [File History](#) | [Other choices](#)

Tools: Add to Work File: [Create new Work File](#) [Add](#)

View: [INPADOC](#) | Jump to: [Top](#) Go to: [Derwent](#)

☒ Email this to a friend

**Title: JP2000125863A2: GENE TRANSDUCTION CELL SHEET**

**Derwent Title:** Readily prepared gene transfer cell sheet comprising layers of undifferentiated mucosal epithelial cells transformed with a target gene, useful in tissue grafts and as a carrier in gene therapy [\[Derwent Record\]](#)

**Country:** JP Japan

**Kind:** A2 Document Laid open to Public inspection i

**Inventor:** UEDA MINORU;  
EMI NOBUHIKO;  
MIZUNO HIROKAZU;

**Assignee:** JAPAN TISSUE ENGINEERING:KK  
UEDA MINORU  
[News, Profiles, Stocks and More about this company](#)

**Published / Filed:** 2000-05-09 / 1998-10-21

**Application Number:** JP1998000299789

**IPC Code:** Advanced: [A61K 48/00](#); [A61L 27/38](#); [C12N 5/10](#); [C12N 15/09](#);  
Core: [A61L 27/00](#); more...  
IPC-7: [A61K 48/00](#); [C12N 5/10](#); [C12N 15/09](#);

**Priority Number:** 1998-10-21 JP1998000299789

**Abstract:** PROBLEM TO BE SOLVED: To provide a gene transduction cell sheet into which an object gene can be readily transduced and can be prepared in a shortened time, particularly obtain a congenic cell sheet that can increase the take percentage to the living body and can produce the product of the introduced gene for a long period of time after the introduction.

SOLUTION: This cell sheet is constituted with plural layers of mucosal epithelial cells into which the object gene is transduced. As the mucosal epithelial cells are more anaplastic, the object gene can be easily transduced. For example, in the case that the gene of an antimicrobial peptide is used as the object gene, the gene transduction cell sheet can be inhibited from its infection as a transplant thereby increasing the take percentage. In another case where human blood coagulation factor IX is used as the object gene, the formation of the blood coagulation factor IX can be retained in an organism for a long period of time.


COPYRIGHT: (C)2000,JPO

**INPADOC Legal Status:** None [Get Now: Family Legal Status Report](#)

**Designated Country:** AE AL AM AP AT AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM  
EA EE EP ES FI GB GD GE GH GM HR HU ID IL IN IS KE KG KP

**Family:** [Show 3 known family members](#)

**Other Abstract Info:** [DERABS C2000-339684](#)



[View Image](#)

1 pag